

K-G PACKAGING  
8001 KEELE STREET, P.O BOX 89  
CONCORD; L4K 1Y8; ONTARIO

PRODUCT: 10251-01-013US JIG1601 JIG-A-LOO 311G



### Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER ..... K-G PACKAGING INC.  
8001 KEELE STREET P.O. BOX 89  
ONTARIO  
CANADA  
L4K 1Y8  
CANUTEC EMERGENCY #:1-613-996-6666(24HR)  
PRODUCT NAME..... 10251-01-013US JIG1601 JIG-A-LOO 311G  
CHEMICAL FAMILY..... CHLORINATED HYDROCARBON.  
MOLECULAR WEIGHT..... NOT APPLICABLE.  
CHEMICAL FORMULA..... MIXTURE.  
TRADE NAMES & SYNONYMS..... 10251-01-013US JIG1601 JIG-A-LOO 311G  
PRODUCT USES..... LUBRICANT.  
FORMULATION NUMBER..... 004-1-167-B.  
FORMULA/LAB BOOK #..... 99-1882B.

### Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route,Species	LC/50 Route,Species
METHYLENE CHLORIDE	30-60	50 ppm	75-09-2	2100 mg/kg ORAL - RAT	88,000 mg/m <sup>3</sup> (1/2 hr) INHAL - RAT
PERCHLOROETHYLENE	10-30	25 ppm	127-18-4	2629 mg/kg ORAL - RAT	5200 ppm (4 Hr) INHAL - MOUSE
ISOBUTANE	7-13	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	5-10	1000 ppm	74-98-6	NOT APPLICABLE	NOT AVAILABLE

### Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:  
INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.  
INHALATION..... METHYLENE CHLORIDE VAPOURS CAN READILY ACCUMULATE IN POORLY VENTILLATED  
AREAS AND CAN CAUSE UNCONSCIOUSNESS. PROPELLANT IS A SIMPLE ASPHYXIANT.  
EYE CONTACT..... MAY CAUSE IRRITATION.  
SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.  
SKIN CONTACT..... METHYLENE CHLORIDE-PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN  
IRRITATION.  
EFFECTS OF ACUTE EXPOSURE..... METHYLENE CHLORIDE OVEREXPOSURE MAY LEAD TO CENTRAL NERVOUS SYSTEM  
DEPRESSION AND CARDIAC SENSITIZATION.  
EFFECTS OF CHRONIC EXPOSURE..... METHYLENE CHLORIDE MAY HAVE CENTRAL NERVOUS SYSTEM EFFECTS. SOLVENTS MAY  
CAUSE DEFATTING DERMATITIS  
EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

### Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE ..... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15  
MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND  
WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR.  
IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

### Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)..... NOT AVAILABLE.  
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO  
PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE  
EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A  
FIRE INVOLVING THIS MATERIAL.  
FLAMMABILITY..... FLAMMABLE.  
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
UPPER FLAMMABLE LIMIT..... 22.  
(% BY VOLUME)  
LOWER FLAMMABLE LIMIT..... 1.9.  
(% BY VOLUME)  
EXPLOSION DATA  
SENSITIVITY TO STATIC DISCHARGE..... NOT APPLICABLE.  
SENSITIVITY TO IMPACT..... NOT APPLICABLE.  
HAZARDOUS COMBUSTION

**PRODUCT: 10251-01-013US JIG1601 JIG-A-LOO 311G****Section 05: FIRE FIGHTING MEASURES**

PRODUCTS..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID, HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

AEROSOL FLAME PROJECTION

CLASSIFIED AS:..... 15 - 45cm.

FLASHBACK..... NONE.

FLASH POINT(°C),TAG CLOSED-CUP ..... NONE.

(CONCENTRATE)

**Section 06: ACCIDENTAL RELEASE MEASURES**

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

**Section 07: HANDLING AND STORAGE**

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).

HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.

SYNERGISTIC MATERIALS..... NONE KNOWN.

**Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION**

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.

RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.

EYE/TYPE..... SAFETY GLASSES.

FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.

OTHER/TYPE..... NOT REQUIRED.

**Section 09: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE..... AEROSOL.

APPEARANCE..... CLEAR LIQUID.

ODOR..... CHLORINATED HYDROCARBON.

ODOR THRESHOLD..... NOT AVAILABLE.

VAPOUR PRESSURE(PSIG)-AEROSOL..... 30 - 40.

@ 20 C

BOILING POINT (°C)(CONC)..... 39.8-121.

EVAPORATION RATE..... GREATER THAN 1.

n-BUTYL ACETATE = 1

VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.

(BY WEIGHT)

SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.

pH..... NOT APPLICABLE.

SPECIFIC GRAVITY (LIQUID)..... 1.37-1.41.

COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.

FREEZING POINT: (°C)..... NOT AVAILABLE.

AEROSOL PERCENT VOLATILE..... 97-98.

(BY WEIGHT).

SPECIFIC GRAVITY (AEROSOL)..... 1.03-1.07.

AEROSOL PERCENT VOC (w/w)..... 20-21.

**Section 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF DECOMPOSITION..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID, HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

CHEMICAL STABILITY:

YES..... UNDER NORMAL CONDITIONS.

NO, WHICH CONDITIONS?..... NOT APPLICABLE.

COMPATIBILITY WITH OTHER SUBSTANCES:

NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

REACTIVITY CONDITIONS?..... NOT APPLICABLE.

HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

**Section 11: TOXICOLOGICAL INFORMATION**

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.

IRRITANCY OF MATERIAL..... SKIN/EYE IRRITANT.

SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.

CARCINOGENICITY OF MATERIAL..... METHYLENE CHLORIDE HAS BEEN LISTED AS A POTENTIAL CARCINOGEN BY IARC. PERCHLOROETHYLENE HAS BEEN LISTED AS A POTENTIAL CARCINOGEN BY IARC.

TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.

MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

**PRODUCT: 10251-01-013US JIG1601 JIG-A-LOO 311G****Section 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL..... NOT AVAILABLE.

**Section 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

**Section 14: TRANSPORTATION INFORMATION**T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1 (6)).  
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.**Section 15: REGULATORY INFORMATION**

## CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D1B,D2A,D2B.  
CNFC SECTION 3.3.5..... LEVEL 1.  
CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

## U.S. REGULATIONS:

HMIS RATING HEALTH..... 2 MODERATE HAZARD.  
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.  
HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.  
HMIS RATING PERSONAL PROTECTION..... B.  
NFPA CODE 30B..... LEVEL 1.  
SARA 313 INFORMATION: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
CAS #: CHEMICAL NAME:  
\*127-18-4 PERCHLOROETHYLENE  
\*75-09-2 METHYLENE CHLORIDE (DICHLOROMETHANE)  
CALIFORNIA PROPOSITION 65: THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:  
WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.  
CAS #: CHEMICAL NAME:  
\*127-18-4 PERCHLOROETHYLENE  
\*75-09-2 METHYLENE CHLORIDE (DICHLOROMETHANE).  
TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.  
VOC (w/w%)..... 20-21.**Section 16: OTHER INFORMATION**

NOTICE FROM KG PACKAGING INC ..... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G PACKAGING INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G PACKAGING INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

PREPARED BY..... TECHNICAL SERVICES  
PREPARATION DATE ..... Aug01/06